



Current Data Parameters  
NAME 180A114\_74  
EXPNO 7  
PROCNO 1

F2 - Acquisition Parameters  
Date\_ 20200317  
Time 23.48 h  
INSTRUM spect  
PROBHD Z150364\_0012 (  
PULPROG roesyphpp.2  
TD 2048  
SOLVENT DMSO  
NS 256  
DS 32  
SWH 5154.639 Hz  
FIDRES 5.033827 Hz  
AQ 0.1986560 sec  
RG 61.02  
DW 97.000 usec  
DE 10.00 usec  
TE 298.2 K  
D0 0.00008536 sec  
D1 0.80614382 sec  
D11 0.03000000 sec  
D12 0.00002000 sec  
IN0 0.00019400 sec  
L4 463  
P15 200000.00 usec  
SPARSELI 0  
TDav 1  
SFO1 500.1124219 MHz  
NUC1 1H  
P1 12.00 usec  
P17 2500.00 usec  
P25 216.00 usec  
PLW1 13.00899982 W  
PLW10 2.08150005 W  
PLW27 0.16061001 W

F1 - Acquisition parameters  
TD 128  
SFO1 500.1124 MHz  
FIDRES 80.541237 Hz  
SW 10.307 ppm  
FnMODE States-TPPI

F2 - Processing parameters  
SI 1024  
SF 500.1100000 MHz  
WDW QSINE  
SSB 2  
LB 0 Hz  
GB 0  
PC 1.00

F1 - Processing parameters  
SI 1024  
MC2 States-TPPI  
SF 500.1100000 MHz  
WDW QSINE  
SSB 2  
LB 0 Hz  
GB 0

