



Current Data Parameters
NAME 1
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20220301
Time 21.03 h
INSTRUM spect
PROBHD Z116098_0506 (
PULPROG noesygpphpp
TD 2048
SOLVENT CDCl3
NS 8
DS 32
SWH 3597.122 Hz
FIDRES 1.756407 Hz
AQ 0.2846720 sec
RG 43.93
DW 139.000 usec
DE 6.50 usec
TE 298.0 K
D0 0.00012782 sec
D1 1.87507200 sec
D8 0.30000001 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
IN0 0.00027800 sec
TDav 1
SFO1 400.1614195 MHz
NUC1 1H
P1 8.78 usec
P2 17.56 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 1.45609999 W
GPNAM[1] SMSQ10.100
GPZ1 40.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 400.1614 MHz
FIDRES 14.051259 Hz
SW 8.989 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 400.1600081 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.00

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 400.1600081 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0

