

268a



Current Data Parameters
NAME wsu20_25299Fa
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20220923
Time 18.38 h
INSTRUM spect
PROBHD z168772_0016 (
PULPROG roesyphpp.2
TD 2048
SOLVENT MeOD
NS 16
DS 32
SWH 5498.534 Hz
FIDRES 5.369662 Hz
AQ 0.1862315 sec
RG 2050
DW 90.933 usec
DE 10.00 usec
TE 298.0 K
D0 0.00007942 sec
D1 1.50000000 sec
D11 0.03000000 sec
D12 0.00002000 sec
INO 0.00018180 sec
L4 1157
P15 500000.00 usec
TDav 1
SFO1 500.2827015 MHz
NUC1 1H
P1 11.75 usec
P17 2500.00 usec
P25 216.00 usec
PLW1 11.91199970 W
PLW10 1.82739997 W
PLW27 0.14100000 W

F1 - Acquisition parameters
TD 512
SFO1 500.2827 MHz
FIDRES 21.486525 Hz
SW 10.995 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 500.2800000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.00

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 500.2800000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0

