



Current Data Parameters
NAME RA22
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200128
Time 15.48 h
INSTRUM spect
PROBHD z129773_0035 (
PULPROG hsqcedetgpp.3
TD 1024
SOLVENT MeOD
NS 64
DS 32
SWH 7211.539 Hz
FIDRES 14.085036 Hz
AQ 0.0709973 sec
RG 191.63
DW 69.333 usec
DE 10.00 usec
TE 298.0 K
CNST2 145.0000000
D0 0.00000300 sec
D1 0.80000001 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
D21 0.00360000 sec
INO 0.00002010 sec
TDav 1
SFO1 600.1728225 MHz
NUC1 1H
P1 8.00 usec
P2 16.00 usec
P28 0 usec
PLW1 11.10000038 W
SFO2 150.9241824 MHz
NUC2 13C
CPDPRG2 garp4
P3 12.00 usec
P14 500.00 usec
P31 1730.00 usec
PCPD2 55.00 usec
PLW0 0 W
PLW2 164.00000000 W
PLW12 7.80690002 W
SPNAM[3] Crp60,0.5,20.1
SPOAL3 0.500
SPOFFS3 0 Hz
SPW3 36.08300018 W
SPNAM[18] Crp60_xfilt.2
SPOAL18 0.500
SPOFFS18 0 Hz
SPW18 10.42800045 W
GPNAM[1] SMSQ10.100
GPZ1 80.00 %
GPNAM[2] SMSQ10.100
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9242 MHz
FIDRES 194.340790 Hz
SW 164.822 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1700000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9128665 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0