



Current Data Parameters
NAME Aug23-2019-FM RA21
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190824
Time 4.06 h
INSTRUM spect
PROBHD Z116098_0444 (1024
PULPROG hsqcedetgpp.3
TD 1024
SOLVENT MeOD
NS 60
DS 32
SWH 4807.692 Hz
FIDRES 9.390024 Hz
AQ 0.1064960 sec
RG 201.55
DW 104.000 usec
DE 6.50 usec
TE 297.9 K
CNST2 145.0000000
D0 0.00000300 sec
D1 0.80000001 sec
D4 0.00172414 sec
D11 0.030000000 sec
D16 0.00020000 sec
D21 0.00360000 sec
INO 0.00003010 sec
TDav 1
SFO1 400.1318817 MHz
NUC1 1H
P1 10.00 usec
P2 20.00 usec
P28 1000.00 usec
PLW1 17.00000000 W
SFO2 100.6203128 MHz
NUC2 13C
CPDPRG[2] garp4
P3 10.00 usec
P14 500.00 usec
P31 2119.00 usec
PCPD2 80.00 usec
PLW0 0 W
PLW2 76.00000000 W
PLW12 1.18750000 W
SPNAM[3] Crp60,0.5,20.1
SPOAL3 0.500
SPOFFS3 0 Hz
SPW3 11.61200047 W
SPNAM[18] Crp60_xfilt.2
SPOAL18 0.500
SPOFFS18 0 Hz
SPW18 2.23699999 W
GPNAM[1] SMSQ10.100
GPZ1 80.00 %
GPNAM[2] SMSQ10.100
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 100.6203 MHz
FIDRES 129.775742 Hz
SW 165.089 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 400.1300000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 100.6127685 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0