

Mail Data/Notify to 13C
oesy



Current Data Parameters
NAME Feb26-2021-SY40
EXPNO 7
PROCNO 1

F2 - Acquisition Parameters
Date_ 20210228
Time 3.40 h
INSTRUM spect
PROBHD Z114607_0034 (
PULPROG noesygpph
TD 2048
SOLVENT CDCl3
NS 48
DS 32
SWH 5952.381 Hz
FIDRES 5.812872 Hz
AQ 0.1720320 sec
RG 95.33
DW 84.000 usec
DE 19.22 usec
TE 293.6 K
D0 0.00006999 sec
D1 1.94163203 sec
D8 0.80000001 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
IN0 0.00016800 sec
TDav 1
SF01 600.1323551 MHz
NUC1 1H
P1 11.00 usec
P2 22.00 usec
P17 2500.00 usec
PLW1 20.00000000 W
PLW10 3.87199998 W
GPNAM[1] SMSQ10.100
GPZ1 40.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 600.1324 MHz
FIDRES 46.502975 Hz
SW 9.918 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 600.1300128 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.00

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300128 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0

