

LQ-01-64-04 0.2 mg CDCl<sub>3</sub>



Current Data Parameters  
NAME LQ-01-64-04  
EXPNO 12  
PROCNO 1

F2 - Acquisition Parameters  
Date\_ 20200229  
Time 15.47 h  
INSTRUM Avance Neo 600  
PROBHD Z151284\_0001 (  
PULPROG cosygpppqf  
TD 2048  
SOLVENT CDCl<sub>3</sub>  
NS 16  
DS 16  
SWH 9615.385 Hz  
FIDRES 9.390024 Hz  
AQ 0.1064960 sec  
RG 101  
DW 52.000 usec  
DE 20.00 usec  
TE 298.0 K  
D0 0.00000300 sec  
D1 2.00000000 sec  
D11 0.03000000 sec  
D12 0.00002000 sec  
D13 0.00000400 sec  
D16 0.00020000 sec  
IN0 0.00010400 sec  
SPARSELI 0  
TDav 1  
SF01 600.1742012 MHz  
NUC1 1H  
P0 8.00 usec  
P1 8.00 usec  
P17 2500.00 usec  
PLW1 5.39650011 W  
PLW10 0.55260003 W  
GPNAM[1] SMSQ10.100  
GPZ1 10.00 %  
P16 1000.00 usec

F1 - Acquisition parameters  
TD 102  
SF01 600.1742 MHz  
FIDRES 188.536957 Hz  
SW 16.021 ppm  
FnMODE QF

F2 - Processing parameters  
SI 1024  
SF 600.1700000 MHz  
WDW QSINE  
SSB 0  
LB 0 Hz  
GB 0  
PC 1.40

F1 - Processing parameters  
SI 1024  
MC2 QF  
SF 600.1700000 MHz  
WDW QSINE  
SSB 0  
LB 0 Hz  
GB 0

