



Current Data Parameters
NAME spf17_20845Sa
EXPNO 6
PROCNO 1

F2 - Acquisition Parameters
Date_ 20210311
Time 9.38 h
INSTRUM spect
PROBHD z120187_0015 (
PULPROG cosygpppqf
TD 2048
SOLVENT Acetone
NS 16
DS 16
SWH 8417.509 Hz
FIDRES 8.220223 Hz
AQ 0.1216512 sec
RG 164.77
DW 59.400 usec
DE 10.00 usec
TE 298.0 K
D0 0.00000300 sec
D1 1.50000000 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00011900 sec
TDav 1
SF01 700.4442026 MHz
NUC1 1H
P0 6.82 usec
P1 6.42 usec
P17 2500.00 usec
PLW1 8.69999981 W
PLW10 0.64744997 W
GPNAM[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 512
SF01 700.4442 MHz
FIDRES 32.825630 Hz
SW 11.997 ppm
FnMODE QF

F2 - Processing parameters
SI 2048
SF 700.4400120 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 700.4400120 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0

